



पानिनी गाउँपालिका
Panini Rural Municipality

गाउँ कार्यपालिकाको कार्यालय

प.सं./Letter No.: ०८२/८३

Office of the Rural Municipal Executive

च.नं./Ref. No.:



W744 QGC

9857086520

दुर्गाफाँट, अर्घाखाँची
Durgaphant, Arghakhanchi
लुम्बिनी प्रदेश, नेपाल
Lumbini Province, Nepal

मिति २०८३/०१/२९

सूचना !

सूचना !!

सूचना !!!

दररेट सहित कोटेशन पेश गर्ने सम्बन्धी सूचना ।

पानिनी गाउँपालिकाको चालु आ.व. ०८२/८३ को वार्षिक स्वीकृत बजेट तथा कार्यक्रम अन्तर्गत मागमा आधारित कृषि जन्य मेशिनरी उपकरण खरिद गर्नुपर्ने भएकोले उद्योग/सप्लायर्सले यसै साथ संलग्न BOQ मा उल्लेख गरेको स्पेशिफिकेशन अनुसारको सामानको दररेट भरी तपसिलका कागजात सहित कोटेशन पेश गर्न इच्छुक उद्योग/सप्लायर्सले यो सूचना प्रकाशन भएको मितिले (७) सात दिन भित्र पानिनी गाउँ कार्यपालिका कार्यालयमा कार्यालय समय भित्र उपस्थित भई (Hard Copy) पेश गर्नुहुन अनुरोध छ ।

तपसिल

संलग्न गर्नुपर्ने कागजात

- सम्बन्धित निकायमा दर्ता तथा नविकरण भएको उद्योग/सप्लायर्सको प्रमाण पत्रको प्रतिलिपी ।
- PAN दर्ता प्रमाणपत्रको प्रतिलिपी
- करचुक्ताको प्रमाणपत्रको प्रतिलिपी
- उद्योग/सप्लायर्स/ फर्म यस कार्यालयमा सूचिकृत नभएको खण्डमा सर्वप्रथम सूचिकृत गरिसके पछि मात्र कोटेशन पेश गर्नुहुन ।

.....
(शेषकान्त घिमिरे)

नि. प्रमुख पशासकीय अधिकृत



पाणिनी गाउँपालिका

गाउँ कार्यपालिका कार्यालय

दुर्गाफाँट, अर्घाखाँची ।

जि. प्रमुख प्रशासकिय अधिकृत

आ.व. २०८२/०८३

तपशिल बमोजिमको स्पेशिफिकेशनको सामान खरिदको लागि

(BOQ)

तपसिल:

क्र.सं.	विवरण	विशिष्टीकरण	एकाई	प्रति एकाई दर भ्याट लाहेक	कैफियत
1)	7 Hp Petrol Mini Tiller	Engine: 4-stroke petrol engine Rated Power: Max 7 HP Starting System: Recoil/manual start Cooling System: Air cooled Fuel Type: Petrol Fuel Tank Capacity: 3-4 Ltr Engine Speed: 3000-3600 RPM Transmission: Gear/Belt driven Working Width: >600 mm adjustable Working Depth: 100-250 mm Number of Blades: 16-24 blades			



14

लि. प्रमुख प्रशासकिय अधिकृत

	<p>Blade Material: Hardened steel</p> <p>Starting: Recoil/manual start</p> <p>Cooling System: Air cooled</p> <p>Fuel Type: Petrol</p> <p>Fuel Tank: Capacity 3–4 L</p> <p>Engine Speed: 3000–3600 RPM</p> <p>Transmission: Gear/Belt driven</p> <p>Working Width: 300–600 mm adjustable</p> <p>Working Depth: 100–250 mm</p> <p>Number of Blades: 16–24 blades</p> <p>Blade Material: Hardened steel</p> <p>Weight : 35–40 kg</p> <p>Handle Type: Adjustable handle</p> <p>Wheel Type: Rubber transport wheels</p> <p>Approximate Productivity: 1) 300–600 m³/hr for dry soil 2) 500–800 m³/hr for soft soil cultivation</p> <p>Tools: 1 set</p>		
--	--	--	--



जि. प्रमुख प्रशासकिय अधिकृत

		Extra User: manual in Nepali Safety feature: 1)Throttle Control 2)Protective blade cover 3)Emergency stop provision 4)Anti- vibration handle grip Warranty: At least 1(one) year		
2)	Telescopic Ladder (3m)	Aluminum alloy Extended height: 3.0-3.2 m Load Capacity: 120-150 Kg Weight of Ladder: 8 to 11 Kg Type: Telescopic and foldable Steps /Rungs: 10-11 Number of Steps: 10-11 Step spacing: 28-30cm Locking system: Automatic rung lock Anti -slip feet: Rubberized Safety Standard: EN131 standard Net Weight: Portable Warranty and Extra: At least one year, Service set for first service, and certification from CE/ISO/manufacturing test certificate	No(s).	

.....

सप्लायर्सको नाम:

ठेगाना:

दस्तखत:

छाप:

3.