



पाणिनी गाउँपालिका
Panini Rural Municipality

☎ W744 QGC

☎ 9857086520

गाउँ कार्यपालिकाको कार्यालय
Office of the Rural Municipal Executive

दुर्गाफाँट, अर्घाखाँची
Durgaphant, Arghakhanchi
लुम्बिनी प्रदेश, नेपाल
Lumbini Province, Nepal

प.सं./Letter No.: ०८२/८३

च.नं./Ref. No.:



मिति २०८३/०९/३०

सूचना !

सूचना !!

सूचना !!!

दररेट सहित कोटेशन पेश गर्ने सम्बन्धी सूचना ।


दोस्रो पटक प्रकाशित मिति: २०८३/०९/३०

पाणिनी गाउँपालिकाको चालु आ.व. ०८२/८३ को वार्षिक स्वीकृत बजेट तथा कार्यक्रम अन्तर्गत मागमा आधारित कृषि जन्य मेशिनरी उपकरण खरिद गर्नुपर्ने भएकोले उद्योग/सप्लायर्सले यसै साथ संलग्न BOQ मा उल्लेख गरेको स्पेशिफिकेशन अनुसारको सामानको दररेट भरी तपसिलका कागजात सहित कोटेशन पेश गर्न इच्छुक उद्योग/सप्लायर्सले यो सूचना प्रकाशन भएको मितिले (७) सात दिन भित्र पाणिनी गाउँ कार्यपालिका कार्यालयमा कार्यालय समय भित्र उपस्थित भई (Hard Copy) पेश गर्नुहुन अनुरोध छ ।

तपसिल

संलग्न गर्नुपर्ने कागजात

- सम्बन्धित निकायमा दर्ता तथा नविकरण भएको उद्योग/सप्लायर्सको प्रमाण पत्रको प्रतिलिपी ।
- PAN दर्ता प्रमाणपत्रको प्रतिलिपी
- करचुक्ताको प्रमाणपत्रको प्रतिलिपी
- उद्योग/सप्लायर्स/ फर्म यस कार्यालयमा सूचिकृत नभएको खण्डमा सर्वप्रथम सूचिकृत गरिसके पछि मात्र कोटेशन पेश गर्नुहुना


(सुवर्ण खनाल)

प्रमुख प्रशासकीय अधिकृत



पाणिनि गाउँपालिका

कार्यपालिका कार्यालय

दुर्गाफाँट, अर्घाखाँची।

आ.व. २०८२/०८३

सुवर्ण खनाल
प्रमुख प्रशासकीय अधिकृत

तपशिल बमोजिमको स्पेशिफिकेशनको सामान खरिदको लागि
(BOQ)

तपसिल:

क्र.सं.	विवरण	विशिष्टीकरण	एकाई	प्रति एकाई दर भ्याट बाहेक	कैफियत
1)	Chaff cutter	Model: Any Type: Automatic, suitable for both green, dry soft grass and bush and box type Power: Single Phase, 3Hp Motor Working Capacity: 400-800Kg/hr Number of Bades: 3 RPM: >=1600 Warranty: Minimum 1(One) year			
2)	Mini tiller Petrol 7Hp	Model: Any Tilling width(mm): >700 Tilling depth(mm): ≥100 Engine: Single cylinder, 4 stroke, Air cooled Max power (Hp/RPM): 7Hp/3200 Starting System: Manual Recoil Starter/Electric Fuel Capacity: ≥3ltr Fuel Consumption(g/Kw.h): ≥350 Fuel/lubricant: Petrol/SAE 10W30 Transmission: Gear or Belt Driven. Gear shifting: 1,2,0,-1 Number of Blades: ≥24 Productivity(m²/hr): ≥600 Net Weight: Portable Warranty and Extra: At least one year, Service set for first service, and certification	No(s)		



सुवर्ण खनाल
प्रमुख प्रशासकीय अधिकृत

		from CE/ISO/manufacturing test certificate		
3)	Mini Tiller diesel 3Hp	Model: Any Tilling width(cm): 280-380 Tilling depth(cm): 75-175 Engine: Single cylinder,4 stroke, Air cooled Max power (Hp/RPM): 3Hp/3200 Starting System: Manual Recoil Starter/Electric Displacement: 52cc to 80cc Fuel Capacity: 1.2-1.5 ltr Fuel Consumption(g/Kw.h): Approx. 0.65 L/hr to 1 L/hr. Fuel/lubricant: Petrol/SAE 10W30 Transmission: Gear or Belt Driven. Gear shifting: 1,2, 0, -1 Number of Blades: ≥16 Net Weight: Portable Warranty and Extra: At least one year, Service set for first service, and certification from CE/ISO/manufacturing test certificate	No(s)	
4)	Telescopic Ladder (4m)	Material: Aluminum alloy, Heavy-duty steel Load Capacity: 150-250 Kg Weight of Ladder: 9 to 13 Kg Type: Telescopic and foldable Steps /Rungs: Max 15 Safety Standard: EN131 standard	No(s)	
5)	3Hp Diesel Mini tiller	Engine & Power: Horsepower: 3 HP (approx. 2.2 kW) <input type="checkbox"/> Engine Type: 4-Stroke, Horizontal Shaft, Single Cylinder, Air-Cooled <input type="checkbox"/> Rated Speed: 3000 – 3600 RPM <input type="checkbox"/> Fuel Type: Diesel <input type="checkbox"/> Starting Method: Hand Recoil/Pull Start <input type="checkbox"/> Fuel Tank Capacity: ≤3 Liters (approx.) <input type="checkbox"/> Oil Capacity: 0.7 Liters (Approx.) Tilling & Performance: Working Width: 300 – 600 mm (approx. 12–24 inches) Working Depth: 150 – 300 mm (approx. 6–12	No(s)	



सुवर्ण खनाल
प्रमुख प्रशासकीय अधिकृत

	<p>inches) Blades: ≥ 16 Transmission: Gear Drive or Chain Drive Gear Shifting: 2 Forward, 1 Reverse or 1 Forward, 1 Reverse Dimensions & Handling : Weight: Light to moderate Material: Cast Iron/Aluminum Alloy Handlebars: Adjustable (height and side-to-side) Key Features: Low Fuel Consumption: Approx. $\sqrt{310g / kW \cdot h}$ Compact Design: Ideal for residential gardens, orchards, and vineyards Versatility: Compatible with attachments like small ploughs, furrowers, or harrows Warranty/Extra: Minimum 1(one) year and ergonomic aspect</p>		
--	--	--	--



सुवर्ण खनाल
प्रमुख प्रशासकीय अधिकृत

6	7Hp Diesel Mini Tiller	<p>Engine & Power: Engine: 178F Diesel Engine (4-stroke, Single Cylinder, Air-Cooled). Max Power: 7 HP (approx. 4.2 kW – 4.5 kW). Speed: ~3600 rpm. Fuel Consumption: ≤ 290 g/kW·h.</p> <p>Tilling & Performance: Tilling Width: 860 mm – 1150 mm (adjustable). Tilling Depth: 100 mm – 300 mm. Blades: 24 – 32 Pcs. Transmission: Transmission: Full Gear Transmission with Clutch. Gear Speed: 2 Forward, 1 Reverse. Starting method: Manual Recoil. Weight: Approx. 110 Kg – 125 Kg Extra Features: Steering Handle: Up-Down & Left-Right adjustable. Tire Size: 4.0-8 (Pneumatic). Accessories: Included dry land/paddy wheels and rotary blades Warranty/Extra: Minimum one (1) year manufacturer warranty and ergonomic in nature</p>	No(s)
---	------------------------	--	-------

.....
सप्लायर्सको नाम:
ठेगाना:
दस्तखत:
छाप: